

according to 1907/2006/EC, Article 31 (Reach)

Date of issue: 02.11.2015

Keralloy KB

Page 1 of 4 Revised on: 12.10.2015

1. Identification of the Substance / Preparation and Company:

Identification of the substance or preparation:

Commercial product name: Keralloy KB

Application of the substance: Metal alloy for dental technology

Company / Manufacturer: SILADENT Dr. Böhme & Schöps GmbH

Im Klei 26

DE - 38644 Goslar +49 (0) 53 21 / 37 79 - 0 +49 (0) 53 21 / 38 96 32

info@siladent.de / www.siladent.de

2. Hazards Identification

2.1 Classification of the substance or mixture

Hazard statements:

Classification in accordance with (EC) n° 487/2013 (ATP 4 CLP). and (EC) n° 605/2014 (ATP 6 CLP): H334: May cause allergy or asthma symptom or breathing difficulties if inhaled.

H317: May cause an allergic skin reaction.

H413: May cause long lasting harmful effects to aquatic life.

Precautionary statements:

Classification in accordance with (EC) n° 487/2013 (ATP 4 CLP). and (EC) n° 605/2014 (ATP 6 CLP):

P102 Keep out of reach of children;

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P501 Dispose of contest/ container according to the relevant current rules.

2.2 Labelling Information: In the form in which is marketed, the product causes no danger to health for

humans through inhalation, swallowing or contact with the skin. There is therefore

no obligation to label the product in accordance with:

(EC) n° 487/2013 (ATP 4 CLP) (EC) n° 605/2014 (ATP 6 CLP)

2.3 Other hazards: If the product from in the as-supplied state is changed through further processing

(e.g. through grinding, polishing, electrical discharge machining, welding or melting) and dust or vapours are produced, there may be danger from hazardous

components in the product.

PBT assessment: No data available vPvB assessment: No data available

3. Composition/ information on ingredients

3.1 Description The product is not a substance but an alloy which contains:

Cobalt (Co) P102 Keep out of reach of children; P202 Do not handle until all safety precautions have been read and understood; P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P270 Do not eat, drink or smoke when using this product; P280 Wear protective gloves/ protective clothing/ eye protection/ face protection; P501 Dispose of contents/ container according to the relevant current rules.	Ingredients:	CAS number EINESCS number	%
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled H317 May cause an allergic skin reaction H413 May cause long lasting harmful effects to aquatic life	P102 Keep out of reach of children; P202 Do not handle until all safety precautions have been read and understood; P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P270 Do not eat, drink or smoke when using this product; P280 Wear protective gloves/ protective clothing/ eye protection/ face protection; P501 Dispose of contents/ container according to the relevant current rules. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled H317 May cause an allergic skin reaction		

IADE

Page 2 of 4

Revised on: 12.10.2015

according to 1907/2006/EC, Article 31 (Reach)

Date of issue: 02.11.2015

Keralloy KB

Chromium (Cr)	CAS-No. 7440-47-3	21
, ,	EC-No. 231-157-5	
Tungsten (W)	CAS-No. 7440-33-7	6
	EC-No. 231-143-9	
Molybdenum (Mo)	CAS-No. 7439-98-7	6
	EC-No. 231-107-2	
Silicon (Si)	CAS-No. 7440-21-3	Traces
	EC-No. 215-609-9	
Iron (Fe)	CAS-No. 7439-89-6	Traces
	EC-No. 231-096-4	
Manganese (Mn)	CAS-No. 7439-96-5	Traces
	EC-No. 231-105-1	

First aid measures

After inhalation: If large amount is inhaled or under an asthma attack, remove to fresh air

and contact a doctor.

After skin contact: Wash off contaminated areas with water or remove contaminated clothing

and have a shower. Wash clothing before reuse. Avoid prolonged or

repeated skin contact.

Irrigate with water for at least 15 minutes. After eye contact:

After swallowing: If a large amount is ingested induce vomiting only if the person is

conscious and contact a doctor.

Fire Fighting measures: 5.

Coherent form of Nickel-Chrome alloys run no risk of fire or explosion. At the contrary, if the material is fine

divided (powder) it can explode at open air.

Suitable extinguishing media: Metal fire powder, sand.

Unsuitable extinguishing media: Water, Foam, CO2, Dry chemicals.

Special hazards caused by the

material, its product of combustion or flue gases:

Special protective equipment for Use of aqualung and fully protective garment.

fire-fighters:

Accidental release measures: 6.

> Avoid dust formation. Personal precautions:

> > Avoid breathing dust.

In case of dust being formed, provide for adequate aeration.

Collect contaminated water separately. Do not discharge into the Environmental precautions:

drains/ surface, waters/ groundwater. Do not discharge into the

subsoil/ soil.

Intoxication, see point 11.

Methods and material for containment

and cleaning up:

Treat the material as prescribed under heading "disposal

considerations".

Handling and Storage:

Handling: No special measures necessary.

7.2 Storage: No special measures necessary.

Exposure controls / Personal protection: 8.

> Respiratory protection If solid Nickel-Chrome alloy forms are converted in manufacturing

> > processes to particulates, maintain working environment below the recommended limits by use of appropriate ventilation (Cr<0.050 mg/m³, Co<0,020 mg/m³) if ventilation is not adequate, then

respiratory protection should be used.

Protection of hands Protective gloves to be used.

Eve protection Safety goggles with side-shields (EN 166) to be used.

Skin and body protection Suitable protective clothing to be used.

SILADE

according to 1907/2006/EC, Article 31 (Reach)

Date of issue: 02.11.2015

Kerallov KB

Page 3 of 4 Revised on: 12.10.2015

Physical and chemical properties:

State at the supply: Solid Colour at the supply: White Odour at the supply: Odourless

Melting range at atmospheric pressure: No data available

Boiling range at atmospheric pressure: >1200 °C

PH at the supply: Not applicable Flash point: Not applicable Flammability: Not applicable Self-flammability: Not applicable Not applicable Danger of explosion: Not applicable Fire supporting: Steam pressure at standard Not Known

temperature:

Absolute density at standard condition: 8,5 g/cm³

Solubility at standard condition:

Liposolubility: Coefficient of distribution: n-octanol /

water:

Insoluble in water...

Insoluble Not applicable

10. Stability and Reactivity:

Condition to be avoided: Not applicable

Substances to be avoided: Perchlorates, ammonium nitrate, hydrazine, alkali, oxidizing, acids.

Necessary/ existing stabilizer: Not applicable Dangerous exothermic reactions: Not applicable Change of state of aggregation: Not applicable Dangerous decomposition products or Not applicable

contact with water:

Toxicological Information:

Under normal handling and use, exposure to massive forms of Nickel-Chrome alloys presents few health hazards. If however, massive forms are converted to particulates then both acute and chronic health hazards are possible.

After inhalation: Rare cases of asthma have been reported to have occurred in

individuals exposed to some forms of particulates. Effects on respiratory tract and gastrointestinal disorder may occur.

Exposure to Nickel-Chrome alloys may cause dermatitis or other After skin contact:

allergic reactions in sensitive individuals.

After eye contact: Irritation due to mechanical causes. Some workers exposed to

aerosol of electrolysis reports eve irritation.

Nickel-Chrome alloys are scarcely absorbed by the intestine, acute After swallowing:

dose: however, may cause abdominal pains, vomit, anuria. uraemia. If the material is absorbed for long period, kidney harm

may occur.

12. **Ecological Information:**

No data available. Toxicity: Persistence and degradability: No data available. Bioaccumulative potential: No data available. Mobility in soil: No data available. Results of PBT and vPvB assessment: No data available. Other adverse effects: No data available. Other information: No data available.

SILADENT

according to 1907/2006/EC, Article 31 (Reach)

Date of issue: 02.11.2015

Keralloy KB

Page 4 of 4 Revised on: 12.10.2015

13. Disposal Considerations:

13.1 The processing scrap must be disposed of as special waste in accordance with the EC directives 91/156/EC on waste, 91/689/EC on hazardous waste and 94/62/EC on packaging and packaging waste and in compliance with national legislation in force on the subject.

14. Transport Information:

According to the laws, dental alloys are not considered as dangerous goods.

15. Regulatory Information:

National legislation and European legislation.

This product is a medical device according to European Normative 93/42/EC.

16. Further Information:

Sources of key data used to compile the data sheet:

Regulation 67/548/EC or 99/45/EC in the corresponding relevant version in force. Regulation EC n. 1907/2006 (REACH), 1272/2008 (CLP) in the corresponding relevant version in force. EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EC.

These information are based on our present state of knowledge. However it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.